# Insertion Devices for High Energy X-ray Research at the APS

Dean R. Haeffner


XFD Advanced Photon Source Argonne National Laboratory

December 5, 2002


# High Energy Programs at the APS


- SRI-CAT/XOR 1-ID
  - Undulator A
- BESSRC-CAT
  - Elliptical multipole wiggler
- mu-CAT
  - Dedicated side station, shared beamline with lowenergy stations
- DND-CAT
  - Bending magnet, not optimized for high energies
- GSECARS-CAT

#### Undulator A at 6 & 7 GeV




## High Energy Focusing





### Experimental Setup



# High Energy X-ray Perspective on Source Improvement

- Short period undulators
- Small gap ID chambers
- Horizontal source size
  - At high energy, source size, divergence dominated by storage ring contributions
  - For microfocusing, small  $\beta$
  - For unfocused beam, large  $\beta$


#### Undulator Design Factors

- Design for maximum brilliance
- Full spectral coverage above 35 keV
- The design will be based upon a minimum gap of
  8.5 mm
- Permanent magnet devices
- Two devices may be used for spectral coverage
- All devices will be 2.5 m in length
- Use APS storage ring values from August of 2001


#### **Undulator Parameters**

	UA	HEX-1	HEX-2
Period (cm)	3.3	2.25	2.05
Length (m)	2.5	2.5	2.5
Number of Periods	72	111	122
Minimum gap (mm)	10.5	8.5 (6.5)	8.5
$B_{max}(T)$	0.85	0.6 (0.85)	0.5
K <sub>max</sub>	2.62	1.26 (1.8)	1.0
Total Integrated Power	5.4	2.8 (5.7)	2.1
(kW)			
Integrated Power in	160	168 (234)	155
1 x 1 mm <sup>2</sup> @ 30 m (W)			


#### High Energy Undulator Brilliance



#### High Energy Undulator Flux



### **Undulator Tuning Curves**



#### Conclusions

- Considerable gains in brilliance are available when two devices are used for spectral coverage.
- Power and power density is much less of a problem for short period devices.
- Gains of approximately a factor of 10 are available over Undulator A.
- Flux and brilliance criteria give similar results.
- Substantial gains would be available with a 6.5-mm vacuum chamber and likely APS storage ring upgrades.